

NCDMHDDSAS

FY21 Benefit Plan Diagnosis Array

DSM5 with Crosswalk to ICD-9 (and preliminary ICD10 crosswalk)

Version date 7/1/2015

Effective date 7/1/2021

The Diag Array tab includes the **Benefit Plan Diagnosis Array** of covered DSM-5 diagnoses for all Benefit Plans which have a designated list of covered diagnoses:

| Code | Benefit Plan |
|-------|--|
| AMI | Adult with Mental Illness |
| ASTER | Adult Substance Abuse Treatment & Engagement |
| ASWOM | Adult Substance Abuse Women |
| ASCDR | Adult Substance Abuse Injecting Drug User/Communicable Disease |
| CSMED | Child with Serious Emotional Disturbance |
| CSSAD | Child with SA Disorder |
| AMVET | All Military Veterans and Family Members |
| ASOUD | Adult Opioid Use Disorder |
| ASTIM | Adult SA Stimulant Use Disorder |

The other tabs include shorter lists specific to the age/disability, for ease of reference.

Note: The "Disability" column includes unofficial groupings for formatting of pivot tables.

Consumer eligibility for State/Federal funded services is determined based on covered diagnoses in the attached Array and based on additional specifications in the **Benefit Plan Eligibility Criteria** document.

Benefit Plans that are not included in this workbook are determined based on **Benefit Plan Eligibility Criteria** specifications only (AMTCL, GAP-Generic Assessment Payment, ADSN-Adult with IDD, and CDSN-Child with IDD).

FY22_DMH DX Code Array

| Benefit Plans: X = Covered; 0=Not Covered; Disc.=Discontinued* | | | | | | | | | | | | |
|--|--|------------|-----|-------|-------|-------|-------|-------|------|-------|-------|--|
| ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSD | CSSAD | AMVET | |
| F01.50 | Major vascular neurocognitive disorder, Probable, Without behavioral disturbance | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X | |
| F01.51 | Major vascular neurocognitive disorder, Probable, With behavioral disturbance | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X | |
| F02.80 | Major neurocognitive disorder due to another medical condition, Without behavioral disturbance | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X | |
| F02.80 | Major neurocognitive disorder due to multiple etiologies, Without behavioral disturbance | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X | |
| F02.81 | Major neurocognitive disorder due to another medical condition, With behavioral disturbance | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X | |
| F02.81 | Major neurocognitive disorder due to multiple etiologies, With behavioral disturbance | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X | |
| F05 | Delirium due to another medical condition | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X | |
| F05 | Delirium due to multiple etiologies | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X | |
| F06.0 | Psychotic disorder due to another medical condition, With hallucinations | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X | |
| F06.1 | Catatonia associated with another mental disorder (catatonia specifier) | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X | |
| F06.1 | Catatonic disorder due to another medical condition | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X | |
| F06.2 | Psychotic disorder due to another medical condition, With delusions | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X | |
| F06.31 | Depressive disorder due to another medical condition, With depressive features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X | |
| F06.32 | Depressive disorder due to another medical condition, With major depressive-like episode | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X | |
| F06.33 | Bipolar and related disorder due to another medical condition, With manic features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X | |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 20 | F06.33 | Bipolar and Related Disorder due to Another Medical Condition, with manic features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 21 | F06.33 | Bipolar and Related Disorder due to Another Medical Condition, with manic or hypomanic like episodes | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 22 | F06.33 | Bipolar and related disorder due to another medical condition, With manic- or hypomanic-like episodes | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 23 | F06.34 | Bipolar and related disorder due to another medical condition, With mixed features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 24 | F06.34 | Bipolar and Related Disorder due to Another Medical Condition, with mixed features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 25 | F06.34 | Depressive disorder due to another medical condition, With mixed features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 26 | F06.4 | Anxiety disorder due to another medical condition | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 27 | F06.8 | Obsessive-compulsive and related disorder due to another medical condition | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 28 | F06.8 | Other specified mental disorder due to another medical condition | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 29 | F07.0 | Personality change due to another medical condition | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 30 | F09 | Unspecified mental disorder due to another medical condition | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 31 | F10.10 | Alcohol use disorder, Mild | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 32 | F10.11 | Alcohol abuse, in remission | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 33 | F10.120 | Alcohol abuse with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 34 | F10.121 | Alcohol intoxication delirium, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 35 | F10.129 | Alcohol intoxication, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 36 | F10.14 | Alcohol-induced bipolar and related disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 37 | F10.14 | Alcohol-induced depressive disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 38 | F10.150 | Alcohol abuse with alcohol-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 39 | F10.159 | Alcohol-induced psychotic disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 40 | F10.180 | Alcohol-induced anxiety disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 41 | F10.181 | Alcohol-induced sexual dysfunction, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 42 | F10.182 | Alcohol-induced sleep disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 43 | F10.188 | Alcohol abuse with other alcohol-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 44 | F10.19 | Alcohol abuse with unspecified alcohol-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 45 | F10.20 | Alcohol use disorder, Moderate | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 46 | F10.20 | Alcohol use disorder, Severe | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 47 | F10.21 | Alcohol abuse with unspecified alcohol-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 48 | F10.220 | Alcohol dependence with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 49 | F10.221 | Alcohol intoxication delirium, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 50 | F10.229 | Alcohol intoxication, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 51 | F10.230 | Alcohol dependence with withdrawal, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 52 | F10.231 | Alcohol withdrawal delirium | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 53 | F10.232 | Alcohol withdrawal, With perceptual disturbances | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 54 | F10.239 | Alcohol withdrawal, Without perceptual disturbances | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 55 | F10.24 | Alcohol-induced bipolar and related disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 56 | F10.24 | Alcohol-induced depressive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 57 | F10.250 | Alcohol dependence with alcohol-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 58 | F10.251 | Alcohol dependence with alcohol-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 59 | F10.259 | Alcohol-induced psychotic disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 60 | F10.26 | Alcohol-induced major neurocognitive disorder, Amnestic confabulatory type, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 61 | F10.27 | Alcohol-induced major neurocognitive disorder, Nonamnestic confabulatory type, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 62 | F10.280 | Alcohol-induced anxiety disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 63 | F10.281 | Alcohol-induced sexual dysfunction, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 64 | F10.282 | Alcohol-induced sleep disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 65 | F10.288 | Alcohol-induced mild neurocognitive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 66 | F10.29 | Alcohol dependence with unspecified alcohol-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 67 | F10.920 | Alcohol use, unspecified with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 68 | F10.929 | Alcohol use, unspecified with alcohol-induced mood disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 69 | F10.94 | Alcohol use, unspecified with alcohol-induced mood disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 70 | F10.950 | Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 71 | F10.951 | Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 72 | F10.959 | Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 73 | F10.96 | Alcohol use, unspecified with alcohol-induced persisting amnestic disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 74 | F10.97 | Alcohol use, unspecified with alcohol-induced persisting amnestic disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 75 | F10.980 | Alcohol use, unspecified with alcohol-induced persisting amnestic disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 76 | F10.981 | Alcohol use, unspecified with alcohol-induced sexual dysfunction | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 77 | F10.982 | Alcohol use, unspecified with alcohol-induced sleep disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 78 | F10.988 | Alcohol use, unspecified with other alcohol-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 79 | F10.99 | Unspecified alcohol-related disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 80 | F11.10 | Opioid use disorder, Mild | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 81 | F11.11 | Opioid abuse, in remission | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 82 | F11.120 | Opioid abuse with intoxication, uncomplicated | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 83 | F11.121 | Opioid intoxication delirium, With mild use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 84 | F11.122 | Opioid intoxication, With perceptual disturbances, With mild use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 85 | F11.129 | Opioid intoxication, Without perceptual disturbances, With mild use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 86 | F11.13 | Opioid abuse with withdrawal | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 87 | F11.14 | Opioid-induced depressive disorder, With mild use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 88 | F11.150 | Opioid abuse with opioid-induced psychotic disorder with delusions | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 89 | F11.151 | Opioid abuse with opioid-induced psychotic disorder with hallucinations | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 90 | F11.159 | Opioid abuse with opioid-induced psychotic disorder, unspecified | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 91 | F11.181 | Opioid-induced sexual dysfunction, With mild use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 92 | F11.182 | Opioid-induced sleep disorder, With mild use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 93 | F11.188 | Opioid-induced anxiety disorder, With mild use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 94 | F11.9 | Opioid abuse with unspecified opioid-induced disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 95 | F11.20 | Opioid use disorder, Moderate | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 96 | F11.20 | Opioid use disorder, Severe | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 97 | F11.21 | Opioid dependence, in remission | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 98 | F11.220 | Opioid dependence with intoxication, uncomplicated | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 99 | F11.221 | Opioid intoxication delirium, With moderate or severe use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 100 | F11.222 | Opioid intoxication, With perceptual disturbances, With moderate or severe use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 101 | F11.229 | Opioid intoxication, Without perceptual disturbances, With moderate or severe use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 102 | F11.23 | Opioid withdrawal | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 103 | F11.23 | Opioid withdrawal delirium | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 104 | F11.24 | Opioid-induced depressive disorder, With moderate or severe use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 105 | F11.250 | Opioid dependence with opioid-induced psychotic disorder with delusions | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 106 | F11.251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 107 | F11.259 | Opioid dependence with opioid-induced psychotic disorder, unspecified | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 108 | F11.281 | Opioid-induced sexual dysfunction, With moderate or severe use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 109 | F11.282 | Opioid-induced sleep disorder, With moderate or severe use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 110 | F11.288 | Opioid-induced anxiety disorder, With moderate or severe use disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 111 | F11.29 | Opioid dependence with unspecified opioid-induced disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 112 | F11.90 | Opioid use, unspecified, uncomplicated | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 113 | F11.920 | Opioid use, unspecified with intoxication, uncomplicated | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 114 | F11.921 | Opioid use, unspecified with intoxication delirium | SUD | | | | | 0 | | | | |
| 115 | F11.921 | Opioid-induced delirium | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 116 | F11.922 | Opioid use, unspecified with intoxication with perceptual disturbance | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 117 | F11.929 | Opioid use, unspecified with intoxication, unspecified | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 118 | F11.93 | Opioid use, unspecified with opioid-induced mood disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 119 | F11.94 | Opioid use, unspecified with opioid-induced mood disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 120 | F11.950 | Opioid use, unspecified with opioid-induced psychotic disorder with delusions | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 121 | F11.951 | Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 122 | F11.959 | Opioid use, unspecified with opioid-induced psychotic disorder, unspecified | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 123 | F11.981 | Opioid use, unspecified with opioid-induced sexual dysfunction | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 124 | F11.982 | Opioid use, unspecified with opioid-induced sleep disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 125 | F11.988 | Opioid use, unspecified with other opioid-induced disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 126 | F11.99 | Unspecified opioid-related disorder | SUD | 0 | X | X | X | 0 | X | 0 | X | 0 |
| 127 | F12.10 | Cannabis use disorder, Mild | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 128 | F12.11 | Cannabis abuse, in remission | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 129 | F12.120 | Cannabis abuse with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 130 | F12.121 | Cannabis intoxication delirium, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 131 | F12.122 | Cannabis intoxication, With perceptual disturbances, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 132 | F12.129 | Cannabis intoxication, Without perceptual disturbances, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 133 | F12.150 | Cannabis abuse with psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 134 | F12.151 | Cannabis abuse with psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 135 | F12.159 | Cannabis-induced psychotic disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 136 | F12.180 | Cannabis-induced anxiety disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 137 | F12.188 | Cannabis-induced sleep disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 138 | F12.19 | Cannabis abuse with unspecified cannabis-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 139 | F12.20 | Cannabis use disorder, Moderate | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 140 | F12.20 | Cannabis use disorder, Severe | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 141 | F12.21 | Cannabis dependence, in remission | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 142 | F12.220 | Cannabis dependence with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 143 | F12.221 | Cannabis intoxication delirium, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 144 | F12.222 | Cannabis intoxication, With perceptual disturbances, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 145 | F12.229 | Cannabis intoxication, Without perceptual disturbances, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 146 | F12.250 | Cannabis dependence with psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 147 | F12.251 | Cannabis dependence with psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 148 | F12.259 | Cannabis-induced psychotic disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 149 | F12.280 | Cannabis-induced anxiety disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 150 | F12.288 | Cannabis withdrawal | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 151 | F12.288 | Cannabis-induced sleep disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 152 | F12.29 | Cannabis dependence with unspecified cannabis-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 153 | F12.90 | Cannabis use, unspecified, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 154 | F12.920 | Cannabis use, unspecified with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 155 | F12.921 | Cannabis use, unspecified with intoxication delirium | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 156 | F12.922 | Cannabis use, unspecified with intoxication with perceptual disturbance | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 157 | F12.929 | Cannabis use, unspecified with intoxication, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 158 | F12.950 | Cannabis use, unspecified with psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 159 | F12.951 | Cannabis use, unspecified with psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 160 | F12.959 | Cannabis use, unspecified with psychotic disorder, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 161 | F12.980 | Cannabis use, unspecified with psychotic disorder, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 162 | F12.988 | Cannabis use, unspecified with other cannabis-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 163 | F12.99 | Unspecified cannabis-related disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 164 | F13.10 | Sedative, hypnotic, or anxiolytic use disorder, Mild | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 165 | F13.11 | Sedative, hypnotic or anxiolytic abuse, in remission | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 166 | F13.120 | Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 167 | F13.121 | Sedative, hypnotic, or anxiolytic intoxication delirium, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 168 | F13.129 | Sedative, hypnotic, or anxiolytic intoxication, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 169 | F13.14 | Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 170 | F13.14 | Sedative-, hypnotic-, or anxiolytic-induced depressive disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 171 | F13.150 | Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 172 | F13.151 | Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 173 | F13.159 | Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 174 | F13.180 | Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 175 | F13.181 | Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 176 | F13.182 | Sedative-, hypnotic-, or anxiolytic-induced sleep disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 177 | F13.188 | Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 178 | F13.19 | Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 179 | F13.20 | Sedative, hypnotic, or anxiolytic use disorder, Moderate | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 180 | F13.20 | Sedative, hypnotic, or anxiolytic use disorder, Severe | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 181 | F13.21 | Sedative, hypnotic or anxiolytic dependence, in remission | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 182 | F13.220 | Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 183 | F13.221 | Sedative, hypnotic, or anxiolytic intoxication delirium, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 184 | F13.229 | Sedative, hypnotic, or anxiolytic intoxication, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 185 | F13.230 | Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 186 | F13.231 | Sedative, hypnotic, or anxiolytic withdrawal delirium | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 187 | F13.232 | Sedative, hypnotic, or anxiolytic withdrawal, With perceptual disturbances | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 188 | F13.239 | Sedative, hypnotic, or anxiolytic withdrawal, Without perceptual disturbances | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 189 | F13.24 | Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 190 | F13.24 | Sedative-, hypnotic-, or anxiolytic-induced depressive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 191 | F13.250 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 192 | F13.251 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 193 | F13.259 | Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 194 | F13.26 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 195 | F13.27 | Sedative-, hypnotic-, or anxiolytic-induced major neurocognitive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 196 | F13.280 | Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 197 | F13.281 | Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 198 | F13.282 | Sedative-, hypnotic-, or anxiolytic-induced sleep disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 199 | F13.288 | Sedative-, hypnotic-, or anxiolytic-induced mild neurocognitive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 200 | F13.29 | Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 201 | F13.90 | Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 202 | F13.920 | Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 203 | F13.921 | Sedative, hypnotic or anxiolytic use, unspecified with intoxication delirium | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 204 | F13.929 | Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 205 | F13.930 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 206 | F13.931 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal delirium | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 207 | F13.932 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal with perceptual disturbances | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 208 | F13.939 | Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 209 | F13.94 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 210 | F13.950 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 211 | F13.951 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 212 | F13.959 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 213 | F13.96 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 214 | F13.97 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting dementia | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 215 | F12.980 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 216 | F13.981 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sexual dysfunction | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 217 | F13.982 | Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sleep disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 218 | F13.988 | Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 219 | F13.99 | Unspecified sedative-, hypnotic-, or anxiolytic-related disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 220 | F14.10 | Cocaine use disorder, Mild | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 221 | F14.11 | Cocaine abuse, in remission | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 222 | F14.120 | Cocaine abuse with intoxication, uncomplicated | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 223 | F14.121 | Cocaine intoxication delirium, With mild use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 224 | F14.122 | Cocaine intoxication, With perceptual disturbances, With mild use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 225 | F14.129 | Cocaine intoxication, Without perceptual disturbances, With mild use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 226 | F14.14 | Cocaine-induced bipolar and related disorder, With mild use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 227 | F14.14 | Cocaine-induced depressive disorder, With mild use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 228 | F14.150 | Cocaine abuse with cocaine-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 229 | F14.151 | Cocaine abuse with cocaine-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 230 | F14.159 | Cocaine-induced psychotic disorder, With mild use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 231 | F14.180 | Cocaine-induced anxiety disorder, With mild use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 232 | F14.181 | Cocaine-induced sexual dysfunction, With mild use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 233 | F14.182 | Cocaine-induced sleep disorder, With mild use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 234 | F14.188 | Cocaine-induced obsessive-compulsive and related disorder, With mild use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 235 | F14.19 | Cocaine abuse with unspecified cocaine-induced disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 236 | F14.20 | Cocaine use disorder, Moderate | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 237 | F14.20 | Cocaine use disorder, Severe | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 238 | F14.21 | Cocaine dependence, in remission | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 239 | F14.220 | Cocaine dependence with intoxication, uncomplicated | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 240 | F14.221 | Cocaine intoxication delirium, With moderate or severe use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 241 | F14.222 | Cocaine intoxication, With perceptual disturbances, With moderate or severe use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 242 | F14.229 | Cocaine intoxication, Without perceptual disturbances, With moderate or severe use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 243 | F14.23 | Cocaine withdrawal | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 244 | F14.24 | Cocaine-induced bipolar and related disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 245 | F14.24 | Cocaine-induced depressive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 246 | F14.250 | Cocaine dependence with cocaine-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 247 | F14.251 | Cocaine dependence with cocaine-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 248 | F14.259 | Cocaine-induced psychotic disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 249 | F14.280 | Cocaine-induced anxiety disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 250 | F14.281 | Cocaine-induced sexual dysfunction, With moderate or severe use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 251 | F14.282 | Cocaine-induced sleep disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 252 | F14.288 | Cocaine-induced obsessive-compulsive and related disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 253 | F14.29 | Cocaine dependence with unspecified cocaine-induced disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 254 | F14.90 | Cocaine use, unspecified, uncomplicated | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 255 | F14.920 | Cocaine use, unspecified with intoxication, uncomplicated | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 256 | F14.921 | Cocaine use, unspecified with intoxication delirium | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 257 | F14.922 | Cocaine use, unspecified with intoxication with perceptual disturbance | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 258 | F14.929 | Cocaine use, unspecified with intoxication, unspecified | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 259 | F14.94 | Cocaine use, unspecified with cocaine-induced mood disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 260 | F14.950 | Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 261 | F14.951 | Cocaine use, unspecified with cocaine-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 262 | F14.959 | Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 263 | F14.980 | Cocaine use, unspecified with cocaine-induced anxiety disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 264 | F14.981 | Cocaine use, unspecified with cocaine-induced sexual dysfunction | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 265 | F14.982 | Cocaine use, unspecified with cocaine-induced sleep disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 266 | F14.988 | Cocaine use, unspecified with other cocaine-induced disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 267 | F14.99 | Unspecified cocaine related disorder | SUD | 0 | X | X | 0 | x | X | 0 | X | 0 |
| 268 | F15.10 | Amphetamine-type substance use disorder, Mild | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 269 | F15.10 | Other or unspecified stimulant use disorder, Mild | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 270 | F15.11 | Other stimulant abuse, in remission | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 271 | F15.120 | Other stimulant abuse with intoxication, uncomplicated | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 272 | F15.121 | Amphetamine (or other stimulant) intoxication delirium, With mild use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 273 | F15.122 | Amphetamine or other stimulant intoxication, With perceptual disturbances, With mild use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 274 | F15.129 | Amphetamine or other stimulant intoxication, Without perceptual disturbances, With mild use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 275 | F15.14 | Amphetamine (or other stimulant)-induced bipolar and related disorder, With mild use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 276 | F15.14 | Amphetamine (or other stimulant)-induced depressive disorder, With mild use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 277 | F15.150 | Other stimulant abuse with stimulant-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 278 | F15.151 | Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 279 | F15.159 | Amphetamine (or other stimulant)-induced psychotic disorder, With mild use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 280 | F15.180 | Amphetamine (or other stimulant)-induced anxiety disorder, With mild use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 281 | F15.181 | Amphetamine (or other stimulant)-induced sexual dysfunction, With mild use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 282 | F15.182 | Amphetamine (or other stimulant)-induced sleep disorder, With mild use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |

FY22_DMh DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 283 | F15.188 | Amphetamine (or other stimulant)-induced obsessive-compulsive and related disorder, With mild use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 284 | F15.19 | Other stimulant abuse with unspecified stimulant-induced disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 285 | F15.20 | Amphetamine-type substance use disorder, Moderate | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 286 | F15.20 | Amphetamine-type substance use disorder, Severe | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 287 | F15.20 | Other or unspecified stimulant use disorder, Moderate | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 288 | F15.20 | Other or unspecified stimulant use disorder, Severe | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 289 | F15.21 | Other stimulant dependence, in remission | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 290 | F15.220 | Other stimulant dependence with intoxication, uncomplicated | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 291 | F15.221 | Amphetamine (or other stimulant) intoxication delirium, With moderate or severe use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 292 | F15.222 | Amphetamine or other stimulant intoxication, With perceptual disturbances, With moderate or severe use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 293 | F15.229 | Amphetamine or other stimulant intoxication, Without perceptual disturbances, With moderate or severe use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 294 | F15.23 | Amphetamine or other stimulant withdrawal | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 295 | F15.24 | Amphetamine (or other stimulant)-induced bipolar and related disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 296 | F15.24 | Amphetamine (or other stimulant)-induced depressive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 297 | F15.250 | Other stimulant dependence with stimulant-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 298 | F15.251 | Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 299 | F15.259 | Amphetamine (or other stimulant)-induced psychotic disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 300 | F15.280 | Amphetamine (or other stimulant)-induced anxiety disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 301 | F15.281 | Amphetamine (or other stimulant)-induced sexual dysfunction, With moderate or severe use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 302 | F15.282 | Amphetamine (or other stimulant)-induced sleep disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 303 | F15.288 | Amphetamine (or other stimulant)-induced obsessive-compulsive and related disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 304 | F15.29 | Other stimulant dependence with unspecified stimulant-induced disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 305 | F15.90 | Other stimulant use, unspecified, uncomplicated | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 306 | F15.920 | Other stimulant use, unspecified with intoxication, uncomplicated | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 307 | F15.921 | Other stimulant use, unspecified with intoxication delirium | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 308 | F15.922 | Other stimulant use, unspecified with intoxication with perceptual disturbance | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 309 | F15.929 | Other stimulant use, unspecified with intoxication, unspecified | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 310 | F15.93 | Other stimulant use, unspecified with withdrawal | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 311 | F15.94 | Other stimulant use, unspecified with stimulant-induced mood disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 312 | F15.950 | Other stimulant use, unspecified with stimulant-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 313 | F15.959 | Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 314 | F15.980 | Other stimulant use, unspecified with stimulant-induced anxiety disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 315 | F15.981 | Other stimulant use, unspecified with stimulant-induced sexual dysfunction | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 316 | F15.982 | Other stimulant use, unspecified with stimulant-induced sleep disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 317 | F15.988 | Other stimulant use, unspecified with other stimulant-induced disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 318 | F15.99 | Unspecified amphetamine or other stimulant related disorder | SUD | 0 | X | X | 0 | X | X | 0 | X | 0 |
| 319 | F16.10 | Other hallucinogen use disorder, Mild | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 320 | F16.10 | Phencyclidine use disorder, Mild | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 321 | F16.11 | Hallucinogen abuse, in remission | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 322 | F16.120 | Hallucinogen abuse with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 323 | F16.121 | Other hallucinogen intoxication delirium, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 324 | F16.121 | Phencyclidine intoxication delirium, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 325 | F16.122 | Hallucinogen abuse with intoxication with perceptual disturbance | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 326 | F16.129 | Other hallucinogen intoxication, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 327 | F16.129 | Phencyclidine intoxication, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 328 | F16.14 | Other hallucinogen-induced bipolar and related disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 329 | F16.14 | Other hallucinogen-induced depressive disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 330 | F16.14 | Phencyclidine-induced bipolar and related disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 331 | F16.14 | Phencyclidine-induced depressive disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 332 | F16.150 | Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 333 | F16.151 | Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 334 | F16.159 | Other hallucinogen-induced psychotic disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 335 | F16.159 | Phencyclidine-induced psychotic disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 336 | F16.180 | Other hallucinogen-induced anxiety disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 337 | F16.180 | Phencyclidine-induced anxiety disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 338 | F16.183 | Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks) | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 339 | F16.188 | Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks) | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 340 | F16.19 | Hallucinogen abuse with unspecified hallucinogen-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 341 | F16.20 | Other hallucinogen use disorder, Moderate | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 342 | F16.20 | Other hallucinogen use disorder, Severe | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 343 | F16.20 | Phencyclidine use disorder, Moderate | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 344 | F16.20 | Phencyclidine use disorder, Severe | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 345 | F16.21 | Hallucinogen dependence, in remission | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 346 | F16.220 | Hallucinogen dependence with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 347 | F16.221 | Other hallucinogen intoxication delirium, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 348 | F16.221 | Phencyclidine intoxication delirium, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 349 | F16.229 | Other hallucinogen intoxication, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 350 | F16.229 | Phencyclidine intoxication, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 351 | F16.24 | Other hallucinogen-induced bipolar and related disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 352 | F16.24 | Other hallucinogen-induced depressive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 353 | F16.24 | Phencyclidine-induced bipolar and related disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 354 | F16.24 | Phencyclidine-induced depressive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 355 | F16.250 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 356 | F16.251 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 357 | F16.259 | Other hallucinogen-induced psychotic disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 358 | F16.259 | Phencyclidine-induced psychotic disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 359 | F16.280 | Other hallucinogen-induced anxiety disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 360 | F16.280 | Phencyclidine-induced anxiety disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 361 | F16.283 | Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks) | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 362 | F16.288 | Hallucinogen dependence with other hallucinogen-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 363 | F16.29 | Hallucinogen dependence with unspecified hallucinogen-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 364 | F16.90 | Hallucinogen use, unspecified, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 365 | F16.920 | Hallucinogen use, unspecified with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 366 | F16.921 | Hallucinogen use, unspecified with intoxication with delirium | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 367 | F16.929 | Hallucinogen use, unspecified with intoxication, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 368 | F16.94 | Hallucinogen use, unspecified with hallucinogen-induced mood disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 369 | F16.950 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 370 | F16.951 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 371 | F16.959 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 372 | F16.980 | Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 373 | F16.983 | Hallucinogen persisting perception disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 374 | F16.988 | Hallucinogen use, unspecified with other hallucinogen-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 375 | F16.99 | Unspecified hallucinogen-related disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 376 | F16.99 | Unspecified phencyclidine-related disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 377 | F17.200 | Tobacco use disorder, Moderate | SUD | X | X | X | 0 | x | X | X | X | X |
| 378 | F17.200 | Tobacco use disorder, Severe | SUD | X | X | X | 0 | x | X | X | X | X |
| 379 | F17.203 | Tobacco withdrawal | SUD | X | X | X | 0 | x | X | X | X | X |
| 380 | F17.208 | Tobacco-induced sleep disorder, With moderate or severe use disorder | SUD | X | X | X | 0 | x | X | X | X | X |
| 381 | F17.209 | Unspecified tobacco-related disorder | SUD | X | X | X | 0 | x | X | X | X | X |
| 382 | F18.10 | Inhalant use disorder, Mild | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 383 | F18.11 | Inhalant abuse, in remission | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 384 | F18.120 | Inhalant abuse with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 385 | F18.121 | Inhalant intoxication delirium, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 386 | F18.129 | Inhalant intoxication, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 387 | F18.14 | Inhalant-induced depressive disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 388 | F18.150 | Inhalant abuse with inhalant-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 389 | F18.151 | Inhalant abuse with inhalant-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 390 | F18.159 | Inhalant-induced psychotic disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 391 | F18.17 | Inhalant-induced major neurocognitive disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 392 | F18.180 | Inhalant-induced anxiety disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 393 | F18.188 | Inhalant-induced mild neurocognitive disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 394 | F18.19 | Inhalant abuse with unspecified inhalant-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 395 | F18.20 | Inhalant use disorder, Moderate | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 396 | F18.20 | Inhalant use disorder, Severe | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 397 | F18.21 | Inhalant dependence, in remission | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 398 | F18.220 | Inhalant dependence with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 399 | F18.221 | Inhalant intoxication delirium, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 400 | F18.229 | Inhalant intoxication, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 401 | F18.24 | Inhalant-induced depressive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 402 | F18.250 | Inhalant dependence with inhalant-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 403 | F18.251 | Inhalant dependence with inhalant-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 404 | F18.259 | Inhalant-induced psychotic disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 405 | F18.27 | Inhalant-induced major neurocognitive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 406 | F18.280 | Inhalant-induced anxiety disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 407 | F18.288 | Inhalant-induced mild neurocognitive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 408 | F18.29 | Inhalant dependence with unspecified inhalant-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 409 | F18.90 | Inhalant use, unspecified, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 410 | F18.920 | Inhalant use, unspecified with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 411 | F18.921 | Inhalant use, unspecified with intoxication with delirium | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 412 | F18.929 | Inhalant use, unspecified with intoxication, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 413 | F18.94 | Inhalant use, unspecified with inhalant-induced mood disorder | Sud | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 414 | F18.950 | Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 415 | F18.951 | Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 416 | F18.959 | Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 417 | F18.97 | Inhalant use, unspecified with inhalant-induced persisting dementia | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 418 | F18.980 | Inhalant use, unspecified with inhalant-induced anxiety disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 419 | F18.988 | Inhalant use, unspecified with other inhalant-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 420 | F18.99 | Unspecified inhalant-related disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 421 | F19.10 | Other (or unknown) substance use disorder, Mild | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 422 | F19.11 | Other psychoactive substance abuse, in remission | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 423 | F19.120 | Other psychoactive substance abuse with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 424 | F19.121 | Other (or unknown) substance intoxication delirium, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 425 | F19.122 | Other psychoactive substance abuse with intoxication with perceptual disturbances | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 426 | F19.129 | Other (or unknown) substance intoxication, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 427 | F19.14 | Other (or unknown) substance-induced bipolar and related disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 428 | F19.14 | Other (or unknown) substance-induced depressive disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 429 | F19.150 | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 430 | F19.151 | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 431 | F19.159 | Other (or unknown) substance-induced psychotic disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 432 | F19.16 | Other psychoactive substance abuse with psychoactive substance-induced persisting amnesic disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 433 | F19.17 | Other (or unknown) substance-induced major neurocognitive disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 434 | F19.180 | Other (or unknown) substance-induced anxiety disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 435 | F19.181 | Other (or unknown) substance-induced sexual dysfunction, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 436 | F19.182 | Other (or unknown) substance-induced sleep disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 437 | F19.188 | Other (or unknown) substance-induced mild neurocognitive disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 438 | F19.188 | Other (or unknown) substance-induced obsessive-compulsive and related disorder, With mild use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 439 | F19.19 | Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 440 | F19.20 | Other (or unknown) substance use disorder, Moderate | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 441 | F19.20 | Other (or unknown) substance use disorder, Severe | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 442 | F18.21 | Other psychoactive substance dependence, in remission | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 443 | F19.220 | Other psychoactive substance dependence with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 444 | F19.221 | Other (or unknown) substance intoxication delirium, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 445 | F19.222 | Other psychoactive substance dependence with intoxication with perceptual disturbance | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 446 | F19.229 | Other (or unknown) substance intoxication, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 447 | F19.230 | Other psychoactive substance dependence with withdrawal, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 448 | F19.231 | Other (or unknown) substance withdrawal delirium | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 449 | F19.232 | Other psychoactive substance dependence with withdrawal with perceptual disturbance | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 450 | F19.239 | Other (or unknown) substance withdrawal | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 451 | F19.24 | Other (or unknown) substance-induced bipolar and related disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 452 | F19.24 | Other (or unknown) substance-induced depressive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 453 | F19.250 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 454 | F19.251 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 455 | F19.259 | Other (or unknown) substance-induced psychotic disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 456 | F19.26 | Other psychoactive substance dependence with psychoactive substance-induced persisting amnestic disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 457 | F19.27 | Other (or unknown) substance-induced major neurocognitive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 458 | F19.280 | Other (or unknown) substance-induced anxiety disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 459 | F19.281 | Other (or unknown) substance-induced sexual dysfunction, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 460 | F19.282 | Other (or unknown) substance-induced sleep disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 461 | F19.288 | Other (or unknown) substance-induced mild neurocognitive disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 462 | F19.288 | Other (or unknown) substance-induced obsessive-compulsive and related disorder, With moderate or severe use disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 463 | F19.29 | Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 464 | F19.90 | Other psychoactive substance use, unspecified, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 465 | F19.920 | Other psychoactive substance use, unspecified with intoxication, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 466 | F19.921 | Other psychoactive substance use, unspecified with intoxication with delirium | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 467 | F19.922 | Other psychoactive substance use, unspecified with intoxication with perceptual disturbance | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 468 | F19.929 | Other psychoactive substance use, unspecified with intoxication, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 469 | F19.930 | Other psychoactive substance use, unspecified with withdrawal, uncomplicated | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 470 | F19.931 | Other psychoactive substance use, unspecified with withdrawal delirium | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 471 | F19.932 | Other psychoactive substance use, unspecified with withdrawal with perceptual disturbance | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 472 | F19.939 | Other psychoactive substance use, unspecified with withdrawal, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 473 | F19.94 | Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 474 | F19.951 | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 475 | F19.959 | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 476 | F19.96 | Other psychoactive substance use, unspecified with psychoactive substance-induced persisting amnesic disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 477 | F19.97 | Other psychoactive substance use, unspecified with psychoactive substance-induced persisting dementia | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 478 | F19.980 | Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 479 | F19.981 | Other psychoactive substance use, unspecified with psychoactive substance-induced sexual dysfunction | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 480 | F19.982 | Other psychoactive substance use, unspecified with psychoactive substance-induced sleep disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 481 | F19.988 | Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 482 | F19.99 | Unspecified other (or unknown) substance-related disorder | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 483 | F20.0 | Paranoid schizophrenia | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 484 | F20.1 | Disorganized schizophrenia | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 485 | F20.2 | Catatonic schizophrenia | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 486 | F20.3 | Undifferentiated schizophrenia | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 487 | F20.5 | Residual schizophrenia | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 488 | F20.81 | Schizophreniform disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 489 | F20.89 | Other schizophrenia | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 490 | F20.9 | Schizophrenia | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 491 | F21 | Schizotypal personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 492 | F22 | Delusional disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 493 | F23 | Brief psychotic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 494 | F24 | Shared psychotic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 495 | F25.0 | Schizoaffective disorder, Bipolar type | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 496 | F25.1 | Schizoaffective disorder, Depressive type | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 497 | F25.8 | Other schizoaffective disorders | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 498 | F25.9 | Schizoaffective disorder, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 499 | F28 | Other specified schizophrenia spectrum and other psychotic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 500 | F29 | Unspecified schizophrenia spectrum and other psychotic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 501 | F30.10 | Manic episode without psychotic symptoms, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 502 | F30.11 | Manic episode without psychotic symptoms, mild | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 503 | F30.12 | Manic episode without psychotic symptoms, moderate | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 504 | F30.13 | Manic episode, severe, without psychotic symptoms | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 505 | F30.2 | Manic episode, severe with psychotic symptoms | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 506 | F30.3 | Manic episode in partial remission | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 507 | F30.4 | Manic episode in full remission | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 508 | F30.8 | Other manic episodes | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 509 | F30.9 | Manic episode, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 510 | F31.0 | Bipolar I disorder, Current or most recent episode hypomanic | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 511 | F31.10 | Bipolar disorder, current episode manic without psychotic features, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 512 | F31.11 | Bipolar I disorder, Current or most recent episode manic, Mild | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 513 | F31.12 | Bipolar I disorder, Current or most recent episode manic, Moderate | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 514 | F31.13 | Bipolar I disorder, Current or most recent episode manic, Severe | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 515 | F31.2 | Bipolar I disorder, Current or most recent episode manic, With psychotic features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 516 | F31.30 | Bipolar disorder, current episode depressed, mild or moderate severity, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 517 | F31.31 | Bipolar I disorder, Current or most recent episode depressed, Mild | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 518 | F31.32 | Bipolar I disorder, Current or most recent episode depressed, Moderate | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 519 | F31.4 | Bipolar I disorder, Current or most recent episode depressed, Severe | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 520 | F31.5 | Bipolar I disorder, Current or most recent episode depressed, With psychotic features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 521 | F31.60 | Bipolar disorder, current episode mixed, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 522 | F31.61 | Bipolar disorder, current episode mixed, mild | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 523 | F31.62 | Bipolar disorder, current episode mixed, moderate | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 524 | F31.63 | Bipolar disorder, current episode mixed, severe, without psychotic features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 525 | F31.64 | Bipolar disorder, current episode mixed, severe, with psychotic features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 526 | F31.70 | Bipolar disorder, currently in remission, most recent episode unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 527 | F31.71 | Bipolar I disorder, Current or most recent episode hypomanic, In partial remission | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 528 | F31.72 | Bipolar I disorder, Current or most recent episode hypomanic, In full remission | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 529 | F31.73 | Bipolar disorder, in partial remission, most recent episode manic | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 530 | F31.74 | Bipolar disorder, in full remission, most recent episode manic | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 531 | F31.75 | Bipolar I disorder, Current or most recent episode depressed, In partial remission | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 532 | F31.76 | Bipolar I disorder, Current or most recent episode depressed, In full remission | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 533 | F31.77 | Bipolar disorder, in partial remission, most recent episode mixed | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 534 | F31.78 | Bipolar disorder, in full remission, most recent episode mixed | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 535 | F31.81 | Bipolar II disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 536 | F31.89 | Other specified bipolar and related disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 537 | F31.9 | Bipolar I disorder, Current or most recent episode depressed, Unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 538 | F31.9 | Bipolar I disorder, Current or most recent episode hypomanic, Unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 539 | F31.9 | Bipolar I disorder, Current or most recent episode manic, Unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 540 | F31.9 | Bipolar I disorder, Current or most recent episode unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 541 | F31.9 | Unspecified bipolar and related disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 542 | F32.0 | Major depressive disorder, Single episode, Mild | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 543 | F32.1 | Major depressive disorder, Single episode, Moderate | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 544 | F32.2 | Major depressive disorder, Single episode, Severe | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 545 | F32.3 | Major depressive disorder, Single episode, With psychotic features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 546 | F32.4 | Major depressive disorder, Single episode, In partial remission | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 547 | F32.5 | Major depressive disorder, Single episode, In full remission | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 548 | F32.81 | Premenstrual dysphoric disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 549 | F32.89 | Other specified depressive disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 550 | F32.9 | Major depressive disorder, Single episode, Unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 551 | F32.9 | Unspecified depressive disorder | MH | x | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 552 | F33.0 | Major depressive disorder, Recurrent episode, Mild | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 553 | F33.1 | Major depressive disorder, Recurrent episode, Moderate | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 554 | F33.2 | Major depressive disorder, Recurrent episode, Severe | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 555 | F33.3 | Major depressive disorder, Recurrent episode, With psychotic features | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 556 | F33.40 | Major depressive disorder, recurrent, in remission, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 557 | F33.41 | Major depressive disorder, Recurrent episode, In partial remission | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 558 | F33.42 | Major depressive disorder, Recurrent episode, In full remission | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 559 | F33.8 | Other recurrent depressive disorders | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 560 | F33.9 | Major depressive disorder, Recurrent episode, Unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 561 | F34.0 | Cyclothymic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 562 | F34.1 | Persistent depressive disorder (dysthymia) | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 563 | F34.81 | Disruptive mood dysregulation disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 564 | F34.9 | Persistent mood [affective] disorder, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 565 | F39 | Unspecified mood [affective] disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 566 | F40.00 | Agoraphobia | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 567 | F40.01 | Agoraphobia with panic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 568 | F40.02 | Agoraphobia without panic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 569 | F40.10 | Social anxiety disorder (social phobia) | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 570 | F40.218 | Specific phobia, Animal | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 571 | F40.228 | Specific phobia, Natural environment | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 572 | F40.230 | Specific phobia, Fear of blood | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 573 | F40.231 | Specific phobia, Fear of injections and transfusions | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 574 | F40.232 | Specific phobia, Fear of other medical care | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 575 | F40.233 | Specific phobia, Fear of injury | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 576 | F40.248 | Specific phobia, Situational | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 577 | F40.298 | Specific phobia, Other | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 578 | F41.0 | Panic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 579 | F41.1 | Generalized anxiety disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 580 | F41.3 | Other mixed anxiety disorders | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 581 | F41.8 | Other specified anxiety disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 582 | F41.9 | Unspecified anxiety disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 583 | F42.2 | Obsessive-compulsive disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 584 | F42.3 | Hoarding disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 585 | F42.4 | Excoriation (skin-picking) disorder | N/A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 586 | F42.8 | Other specified obsessive-compulsive and related disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 587 | F42.9 | Unspecified obsessive-compulsive and related disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 588 | F43.0 | Acute stress disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 589 | F43.10 | Posttraumatic stress disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 590 | F43.11 | Post-traumatic stress disorder, acute | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 591 | F43.12 | Post-traumatic stress disorder, chronic | Mh | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 592 | F43.20 | Adjustment disorder, Unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 593 | F43.21 | Adjustment disorder, With depressed mood | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 594 | F43.22 | Adjustment disorder, With anxiety | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 595 | F43.23 | Adjustment disorder, With mixed anxiety and depressed mood | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 596 | F43.24 | Adjustment disorder, With disturbance of conduct | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 597 | F43.25 | Adjustment disorder, With mixed disturbance of emotions and conduct | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 598 | F43.8 | Other specified trauma- and stressor-related disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 599 | F43.9 | Unspecified trauma- and stressor-related disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 600 | F44.0 | Dissociative amnesia | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 601 | F44.1 | Dissociative amnesia, with dissociative fugue | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 602 | F44.2 | Dissociative stupor | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 603 | F44.4 | Conversion disorder (functional neurological symptom disorder), With abnormal movement | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 604 | F44.4 | Conversion disorder (functional neurological symptom disorder), With speech symptoms | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 605 | F44.4 | Conversion disorder (functional neurological symptom disorder), With swallowing symptoms | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 606 | F44.4 | Conversion disorder (functional neurological symptom disorder), With weakness/paralysis | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 607 | F44.5 | Conversion disorder (functional neurological symptom disorder), With attacks or seizures | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 608 | F44.6 | Conversion disorder (functional neurological symptom disorder), With anesthesia or sensory loss | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 609 | F44.6 | Conversion disorder (functional neurological symptom disorder), With special sensory symptoms | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 610 | F44.7 | Conversion disorder (functional neurological symptom disorder), With mixed symptoms | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 611 | F44.81 | Dissociative identity disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 612 | F44.89 | Other specified dissociative disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 613 | F44.9 | Unspecified dissociative disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 614 | F45.0 | Somatization disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 615 | F45.1 | Somatic symptom disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 616 | F45.21 | Illness anxiety disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 617 | F45.22 | Body dysmorphic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 618 | F45.29 | Other hypochondriacal disorders | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 619 | F45.41 | Pain disorder exclusively related to psychological factors | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 620 | F45.42 | Pain disorder with related psychological factors | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 621 | F45.8 | Other specified somatic symptom and related disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 622 | F45.9 | Unspecified somatic symptom and related disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 623 | F48.1 | Depersonalization/derealization disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 624 | F48.8 | Other specified nonpsychotic mental disorders | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 625 | F48.9 | Nonpsychotic mental disorder, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 626 | F50.00 | Anorexia nervosa, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 627 | F50.01 | Anorexia nervosa, Restricting type | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 628 | F50.02 | Anorexia nervosa, Binge-eating/purging type | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 629 | F50.2 | Bulimia nervosa | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 630 | F50.81 | Binge-eating disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 631 | F50.82 | Avoidant/restrictive food intake disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 632 | F50.89 | Avoidant/restrictive food intake disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 633 | F50.89 | Other specified feeding or eating disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 634 | F50.89 | Pica, In adults | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 635 | F50.9 | Eating disorder, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 636 | F51.01 | Insomnia disorder - removed 1-1-19 | N/A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 637 | F51.11 | Hypersomnolence disorder | N/A | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 638 | F51.3 | Non-rapid eye movement sleep arousal disorders, Sleepwalking type -removed 1-1-19 | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 639 | F51.4 | Non-rapid eye movement sleep arousal disorders, Sleep terror type - removed 1-1-19 | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 640 | F51.5 | Nightmare disorder-Removed 1-1-19 | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 641 | F52.0 | Male hypoactive sexual desire disorder | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 642 | F52.21 | Erectile disorder | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 643 | F52.22 | Female sexual interest/arousal disorder | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 644 | F52.31 | Female orgasmic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 645 | F52.32 | Delayed ejaculation | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 646 | F52.4 | Premature (early) ejaculation | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 647 | F52.6 | Genito-pelvic pain/penetration disorder | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 648 | F52.8 | Other specified sexual dysfunction | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 649 | F52.9 | Unspecified sexual dysfunction | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 650 | F53.0 | Postpartum depression | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 651 | F53.1 | Puerperal psychosis | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 652 | F54 | Psychological factors affecting other medical conditions | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 653 | F60.0 | Paranoid personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 654 | F60.1 | Schizoid personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 655 | F60.2 | Antisocial personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 656 | F60.3 | Borderline personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 657 | F60.4 | Histrionic personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 658 | F60.5 | Obsessive-compulsive personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 659 | F60.6 | Avoidant personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 660 | F60.7 | Dependent personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 661 | F60.81 | Narcissistic personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 662 | F60.89 | Other specified personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 663 | F60.9 | Unspecified personality disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 664 | F63.0 | Pathological gambling | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 665 | F63.1 | Pyromania | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 666 | F63.2 | Kleptomania | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 667 | F63.3 | Trichotillomania (hair-pulling disorder) | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 668 | F63.81 | Intermittent explosive disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 669 | F63.89 | Other impulse disorders | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 670 | F63.9 | Impulse disorder, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 671 | F64.0 | Gender dysphoria in adolescents and adults | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 672 | F64.2 | Gender dysphoria in children | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 673 | F64.8 | Other specified gender dysphoria | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 674 | F64.9 | Unspecified gender dysphoria | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 675 | F65.0 | Fetishistic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 676 | F65.1 | Transvestic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 677 | F65.2 | Exhibitionistic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 678 | F65.3 | Voyeuristic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 679 | F65.4 | Pedophilic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 680 | F65.51 | Sexual masochism disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 681 | F65.52 | Sexual sadism disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 682 | F65.81 | Frotteuristic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 683 | F65.89 | Other specified paraphilic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 684 | F65.9 | Unspecified paraphilic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 685 | F68.10 | Factitious disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 686 | F68.11 | Factitious disorder with predominantly psychological signs and symptoms | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 687 | F68.12 | Factitious disorder with predominantly physical signs and symptoms | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 688 | F68.13 | Factitious disorder with combined psychological and physical signs and symptoms | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 689 | F68.8 | Other specified disorders of adult personality and behavior | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 690 | F69 | Unspecified disorder of adult personality and behavior | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 691 | F70 | Intellectual disability (intellectual developmental disorder), Mild | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 692 | F71 | Intellectual disability (intellectual developmental disorder), Moderate | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 693 | F72 | Intellectual disability (intellectual developmental disorder), Severe | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 694 | F73 | Intellectual disability (intellectual developmental disorder), Profound | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 695 | F78 | Other intellectual disabilities | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 696 | F79 | Unspecified intellectual disability (intellectual developmental disorder) | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 697 | F84.0 | Autism spectrum disorder | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 698 | F84.2 | Rett's syndrome | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 699 | F84.3 | Other childhood disintegrative disorder | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 700 | F84.5 | Asperger's syndrome | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 701 | F84.8 | Other pervasive developmental disorders | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 702 | F84.9 | Pervasive developmental disorder, unspecified | DD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 703 | F88 | Global developmental delay | DD | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 704 | F88 | Other specified neurodevelopmental disorder | DD | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 705 | F89 | Unspecified neurodevelopmental disorder | DD | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 706 | F90.0 | Attention-deficit/hyperactivity disorder, Predominantly inattentive presentation | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 707 | F90.1 | Attention-deficit/hyperactivity disorder, Predominantly hyperactive/impulsive presentation | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 708 | F90.2 | Attention-deficit/hyperactivity disorder, Combined presentation | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 709 | F90.8 | Other specified attention-deficit/hyperactivity disorder | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 710 | F90.9 | Unspecified attention-deficit/hyperactivity disorder | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 711 | F91.0 | Conduct disorder confined to family context | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 712 | F91.1 | Conduct disorder, Childhood-onset type | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 713 | F91.2 | Conduct disorder, Adolescent-onset type | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 714 | F91.3 | Oppositional defiant disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 715 | F91.8 | Other specified disruptive, impulse-control, and conduct disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 716 | F91.9 | Conduct disorder, Unspecified onset | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 717 | F91.9 | Unspecified disruptive, impulse-control, and conduct disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 718 | F93.0 | Separation anxiety disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 719 | F93.8 | Other childhood emotional disorders | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 720 | F93.9 | Childhood emotional disorder, unspecified | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 721 | F94.0 | Selective mutism | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 722 | F94.1 | Reactive attachment disorder | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 723 | F94.2 | Disinhibited social engagement disorder | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 724 | F94.8 | Other childhood disorders of social functioning | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 725 | F94.9 | Childhood disorder of social functioning, unspecified | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 726 | F95.0 | Provisional tic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 727 | F95.1 | Persistent (chronic) motor or vocal tic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 728 | F95.2 | Tourette's disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 729 | F95.8 | Other specified tic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 730 | F95.9 | Unspecified tic disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 731 | F98.0 | Enuresis | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 732 | F98.1 | Encopresis | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 733 | F98.21 | Rumination disorder | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 734 | F98.29 | Other feeding disorders of infancy and early childhood | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 735 | F98.3 | Pica, In children | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 736 | F98.4 | Stereotypic movement disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 737 | F98.5 | Adult-onset fluency disorder | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 738 | F98.8 | Other specified behavioral and emotional disorders with onset usually occurring in childhood and adolescence | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 739 | F98.9 | Unspecified behavioral and emotional disorders with onset usually occurring in childhood and adolescence | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 740 | F99 | Other specified mental disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 741 | F99 | Unspecified mental disorder | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 742 | G47.20 | Circadian rhythm sleep-wake disorders, Unspecified type | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 743 | G47.21 | Circadian rhythm sleep-wake disorders, Delayed sleep phase type | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 744 | G47.22 | Circadian rhythm sleep-wake disorders, Advanced sleep phase type | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 745 | G47.23 | Circadian rhythm sleep-wake disorders, Irregular sleep-wake type | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 746 | G47.24 | Circadian rhythm sleep-wake disorders, Non-24-hour sleep-wake type | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 748 | T14.91XA | Suicide Attempt, Initial Encounter | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 749 | T14.91XD | Suicide Attempt, Subsequent Encounter | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 750 | T14.91XS | Suicide Attempt, Sequela | SUD | 0 | X | X | 0 | 0 | X | 0 | X | 0 |
| 751 | T74.01XA | Spouse or partner neglect, Confirmed, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 752 | T74.01XD | Spouse or partner neglect, Confirmed, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 753 | T74.02XA | Child neglect, Confirmed, Initial encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 754 | T74.02XD | Child neglect, Confirmed, Subsequent encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 755 | T74.11XA | Adult physical abuse by nonspouse or nonpartner, Confirmed, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 756 | T74.11XA | Spouse or partner violence, Physical, Confirmed, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 757 | T74.11XD | Adult physical abuse by nonspouse or nonpartner, Confirmed, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 758 | T74.11XD | Spouse or partner violence, Physical, Confirmed, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 759 | T74.12XA | Child physical abuse, Confirmed, Initial encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 760 | T74.12XD | Child physical abuse, Confirmed, Subsequent encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 761 | T74.21XA | Adult sexual abuse by nonspouse or nonpartner, Confirmed, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 762 | T74.21XA | Spouse or partner Violence, Sexual, Confirmed, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 763 | T74.21XD | Adult sexual abuse by nonspouse or nonpartner, Confirmed, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 764 | T74.21XD | Spouse or partner Violence, Sexual, Confirmed, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 765 | T74.22XA | Child sexual abuse, Confirmed, Initial encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 766 | T74.22XD | Child sexual abuse, Confirmed, Subsequent encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 767 | T74.31XA | Adult psychological abuse by nonspouse or nonpartner, Confirmed, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 768 | T74.31XA | Spouse or partner abuse, Psychological, Confirmed, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 769 | T74.31XD | Adult psychological abuse by nonspouse or nonpartner, Confirmed, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 770 | T74.31XD | Spouse or partner abuse, Psychological, Confirmed, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 771 | T74.32XA | Child psychological abuse, Confirmed, Initial encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 772 | T74.32XD | Child psychological abuse, Confirmed, Subsequent encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 773 | T76.01XA | Spouse or partner neglect, Suspected, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 774 | T76.01XD | Spouse or partner neglect, Suspected, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 775 | T76.02XA | Child neglect, Suspected, Initial encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 776 | T76.02XD | Child neglect, Suspected, Subsequent encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 777 | T76.11XA | Adult physical abuse by nonspouse or nonpartner, Suspected, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 778 | T76.11XA | Spouse or partner Violence, Physical, Suspected, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 779 | T76.11XD | Adult physical abuse by nonspouse or nonpartner, Suspected, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 780 | T76.11XD | Spouse or partner Violence, Physical, Suspected, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 781 | T76.12XA | Child physical abuse, Suspected, Initial encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 782 | T76.12XD | Child physical abuse, Suspected, Subsequent encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 783 | T76.21XA | Adult sexual abuse by nonspouse or nonpartner, Suspected, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 784 | T76.21XA | Spouse or partner Violence, Sexual, Suspected, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 785 | T76.21XD | Adult sexual abuse by nonspouse or nonpartner, Suspected, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 786 | T76.21XD | Spouse or partner Violence, Sexual, Suspected, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 787 | T76.22XA | Child sexual abuse, Suspected, Initial encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 788 | T76.22XD | Child sexual abuse, Suspected, Subsequent encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 789 | T76.31XA | Adult psychological abuse by nonspouse or nonpartner, Suspected, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 790 | T76.31XA | Spouse or partner abuse, Psychological, Suspected, Initial encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 791 | T76.31XD | Adult psychological abuse by nonspouse or nonpartner, Suspected, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 792 | T76.31XD | Spouse or partner abuse, Psychological, Suspected, Subsequent encounter | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 793 | T76.32XA | Child psychological abuse, Suspected, Initial encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 794 | T76.32XD | Child psychological abuse, Suspected, Subsequent encounter | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | 0 |
| 795 | Z55.9 | Academic or educational problem | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 796 | Z56.82 | Problem related to current military deployment status | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 797 | Z62.812 | Personal history (past history) of neglect in childhood | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 798 | Z62.820 | Parent-child relational problem | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 799 | Z62.891 | Sibling relational problem | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 800 | Z62.898 | Child affected by parental relationship distress | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 801 | Z63.0 | Relationship distress with spouse or intimate partner | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 802 | Z63.4 | Uncomplicated bereavement | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 803 | Z63.5 | Disruption of family by separation or divorce | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 804 | Z63.8 | High expressed emotion level within family | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 805 | Z64.0 | Problems related to unwanted pregnancy | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 806 | Z64.1 | Problems related to multiparity | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 807 | Z64.4 | Discord with social service provider, including probation officer, case manager, or social services worker | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 808 | Z65.4 | Victim of crime | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 809 | Z65.4 | Victim of terrorism or torture | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 810 | Z65.5 | Exposure to disaster, war, or other hostilities | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 811 | Z65.8 | Other problem related to psychosocial circumstances | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 812 | Z65.8 | Religious or spiritual problem | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 813 | Z65.9 | Unspecified problem related to unspecified psychosocial circumstances | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 814 | Z69.010 | Other circumstances related to child neglect, Encounter for mental health services for victim of child neglect by parent | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 815 | Z69.010 | Other circumstances related to child physical abuse, Encounter for mental health services for victim of child abuse by parent | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 816 | Z69.010 | Other circumstances related to child psychological abuse, Encounter for mental health services for victim of child psychological abuse by parent | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 817 | Z69.010 | Other circumstances related to child sexual abuse, Encounter for mental health services for victim of child sexual abuse by parent | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 818 | Z69.011 | Other circumstances related to child neglect, Encounter for mental health services for perpetrator of parental child neglect | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 819 | Z69.011 | Other circumstances related to child physical abuse, Encounter for mental health services for perpetrator of parental child abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 820 | Z69.011 | Other circumstances related to child psychological abuse, Encounter for mental health services for perpetrator of parental child psychological abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 821 | Z69.011 | Other circumstances related to child sexual abuse, Encounter for mental health services for perpetrator of parental child sexual abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 822 | Z69.020 | Other circumstances related to child neglect, Encounter for mental health services for victim of nonparental child neglect | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 823 | Z69.020 | Other circumstances related to child physical abuse, Encounter for mental health services for victim of nonparental child abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 824 | Z69.020 | Other circumstances related to child psychological abuse, Encounter for mental health services for victim of nonparental child psychological abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 825 | Z69.020 | Other circumstances related to child sexual abuse, Encounter for mental health services for victim of nonparental child sexual abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 826 | Z69.021 | Other circumstances related to child neglect, Encounter for mental health services for perpetrator of nonparental child neglect | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 827 | Z69.021 | Other circumstances related to child physical abuse, Encounter for mental health services for perpetrator of nonparental child abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 828 | Z69.021 | Other circumstances related to child psychological abuse, Encounter for mental health services for perpetrator of nonparental child psychological abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 829 | Z69.021 | Other circumstances related to child sexual abuse, Encounter for mental health services for perpetrator of nonparental child sexual abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|--|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 830 | Z69.11 | Other circumstances related to spouse or partner abuse, Psychological, Encounter for mental health services for victim of spouse or partner psychological abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 831 | Z69.11 | Other circumstances related to spouse or partner neglect, Encounter for mental health services for victim of spouse or partner neglect | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 832 | Z69.11 | Other circumstances related to spouse or partner violence, Physical, Encounter for mental health services for victim of spouse or partner violence | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 833 | Z69.12 | Other circumstances related to spouse or partner abuse, Psychological, Encounter for mental health services for perpetrator of spouse or partner psychological abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 834 | Z69.12 | Other circumstances related to spouse or partner neglect, Encounter for mental health services for perpetrator of spouse or partner neglect | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 835 | Z69.12 | Other circumstances related to spouse or partner violence, Physical, Encounter for mental health services for perpetrator of spouse or partner violence | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 836 | Z69.12 | Other circumstances related to spouse or partner violence, Sexual, Encounter for mental health services for perpetrator of spouse or partner violence | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 837 | Z69.81 | Other circumstances related to adult abuse by nonspouse or nonpartner, Encounter for mental health services for victim of nonspousal adult abuse | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |

FY22_DMH DX Code Array

| | ICD-10-CM | DSM5 Disorder, Condition, or Problem Description | Disability | AMI | ASTER | ASCDR | ASOUD | ASTIM | ASWOM | CMSED | CSSAD | AMVET |
|-----|-----------|---|------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 838 | Z69.81 | Other circumstances related to spouse or partner violence, Sexual, Encounter for mental health services for victim of spouse or partner violence | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 839 | Z69.82 | Other circumstances related to adult abuse by nonspouse or nonpartner, Encounter for mental health services for perpetrator of nonspousal adult abuse | MH | 0 | 0 | 0 | 0 | x | 0 | 0 | 0 | X |
| 840 | Z72.0 | Tobacco use disorder, Mild | SUD | X | X | X | 0 | 0 | X | X | X | X |
| 841 | Z72.810 | Child or adolescent antisocial behavior | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 842 | Z72.811 | Adult antisocial behavior | MH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 843 | Z76.5 | Malingering | MH | 0 | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 844 | Z91.410 | Personal history (past history) of spouse or partner violence, Physical | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 845 | Z91.410 | Personal history (past history) of spouse or partner violence, Sexual | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 846 | Z91.411 | Personal history (past history) of spouse or partner psychological abuse | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 847 | Z91.412 | Personal history (past history) of spouse or partner neglect | MH | X | 0 | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 848 | Z91.49 | Other personal history of psychological trauma | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 849 | Z91.5 | Personal history of self-harm | MH | X | 0 | 0 | 0 | 0 | 0 | X | 0 | X |
| 850 | Z91.82 | Personal history of military deployment | MH | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | X |